



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/866,525	05/25/2001	Cormac S. Conroy	LSI-01-160	4225

24319 7590 12/03/2003

LSI LOGIC CORPORATION
1621 BARBER LANE
MS: D-106 LEGAL
MILPITAS, CA 95035

EXAMINER

PHAM, TUAN

ART UNIT PAPER NUMBER

2643

DATE MAILED: 12/03/2003

6

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/866,525

Applicant(s)

CONROY ET AL.

Examiner

TUAN A PHAM

Art Unit

2643

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 May 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-28 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-28 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 5.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

2. Claims 1-5, 8-11, and 22-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Koren (U.S. Patent No. 6,218,872) in view of Bisson et al. ("Bisson")(U.S. Patent No. 6,323,686).

Regarding claim 1, Koren teaches a transformer (see figure 5, transformer 20) for coupling signals between a transceiver and a transmission line (see figure 5), The transceiver including a driver circuit for supplying a transmit signal to the transformer and a receiver circuit for receiving a receive signal from the transformer (see col.2, ln.7-21), the transformer comprising:

a first port adapted to being coupled to the transmission line (see col.2, ln.7-15),
a second port adapted to being coupled to the driver circuit (see col.2, ln.7-21),
and

a third port adapted to being coupled to the receiver circuit (see col.2, ln.7-21).

It should be noticed that Koren fails to clearly teach a first winding part having a turns ratio of $1:n_2$, where $n_2 > 1$, and a second winding part having a turn ratio of $1:n_1$, where $n_1 < n_2$ (where $m=n_1$, $n=n_2$). However, Bisson teaches such features (see figure 4, dual transformer driver circuit 40, col.4, ln.50-60) for a purpose of reducing the power consumption in a transformer used in telecommunication system.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of a first winding part having a turns ratio of $1:n_2$, where $n_2 > 1$, and a second winding part having a turn ratio of $1:n_1$, where $n_1 < n_2$, as taught by Bisson, into view of Koren in order to select the different signal driven on to the telephone line.

Regarding claim 2, Bisson further teaches a transformer wherein $n_1=1$ (see col.4, ln.50-60).

Regarding claim 3, Bisson further teaches a transformer where $n_2 < 2n_1$ (see col.4, ln.50-60).

Regarding claim 4, Bisson further teaches a transformer where $n_1 < (1/2)n_2$ (see col.4, ln.50-60).

Regarding claim 5, Koren teaches a line interface for coupling signals between a data transceiver and a transmission line having a load impedance Z (see col.2, ln.44-67), the line interface comprising:

- a transformer (see figure 5, transformer 20),

- a driver circuit for supplying a transmit signal from the data transceiver to the transformer (see col.2, ln.7-21), and

- a receiver circuit for receiving a receive signal from the transformer (see col.2, ln.7-21) wherein the transformer includes:

 - a first port coupled to the transmission line (see col.2, ln.7-21),

 - a second port coupled to the driver circuit (see col.2, ln.7-21), and

 - a third port coupled to the receiver circuit (see col.2, ln.7-21).

It should be noticed that Koren fails to clearly teach a first winding part having a turns ratio of $1:n_2$, where $n_2 > 1$, and a second winding part having a turn ratio of $1:n_1$, where $n_1 < n_2$ (where $m=n_1$, $n=n_2$). However, Bisson teaches such features (see figure 4, dual transformer driver circuit 40, col.4, ln.50-60) for a purpose of reducing the power consumption in a transformer used in telecommunication system.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of a first winding part having a turns ratio of $1:n_2$, where $n_2 > 1$, and a second winding part having a turn ratio of $1:n_1$, where $n_1 < n_2$, as taught by Bisson, into view of Koren in order to select the different signal driven on to the telephone line.

Regarding claim 8, Bisson further teaches a line interface wherein the receiver circuit includes a first sensing resistor having a resistance R , and a second sensing resistor having a resistance $2mR/n$ $n_1 > 1$, $n_1 < n_2$ (where $m=n_1$, $n=n_2$)

We have: $n_2 > 1$ if $n=2$, $n_1 < n_2$ if $n_1=1$

$$2(1)R/2=R \text{ (see figure 1, Rf 16)}$$

Regarding claim 9, Bisson further teaches a transformer wherein $n_1=1$ (see col.4, ln.50-60).

Regarding claim 10, Bisson further teaches a transformer where $n_2 < 2n_1$ (see col.4, ln.50-60).

Regarding claim 11, Bisson further teaches a transformer where $n_1 < (1/2)n_2$ (see col.4, ln.50-60).

Regarding claim 22, Koren teaches an apparatus for coupling signals between a transceiver and a transmission line via a multi-port transformer (see figure 5, transformer 20), the transceiver including a driver circuit and a receive Circuit (see figure 5, modem 11), the transformer including a line port, a transmit port, and a receive port (see figure 5, line port 12, transmit port 26, receive port 28), the apparatus comprising:

means for supplying a transmit signal from the driver circuit to the transmit port of the transformer (see col.2, ln.7-21).

It should be noticed that Koren fails to clearly teach means for providing a first path from the transmit port to the line port so as to couple the transmit signal to the transmission line, the first path having a coupling ratio of n_2 , where $n_2 > 1$, means for

supplying a receive signal from the transmission line to the line port of the transformer; and means for providing a second path from the line port to the receive port so as to couple the receive signal to the receive circuit, the second path having a coupling ratio of $1/n_1$, where $n_1 < n_2$.). However, Bisson teaches such features (see figure 4, dual transformer driver circuit 40, col.4, ln.50-60) for a purpose of reducing the power consumption in a transformer used in telecommunication system.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of a first winding part having a turns ratio of $1:n_2$, where $n_2 > 1$, and a second winding part having a turn ratio of $1:n_1$, where $n_1 < n_2$, as taught by Bisson, into view of Koren in order to select the different signal driven on to the telephone line.

Regarding claim 23, Bisson further teaches a transformer wherein the first path includes a first winding part of the transformer, the first winding part having a turns ratio of $1:n_2$, and wherein the second path includes a second winding part of the transformer the second winding part having a turns ratio of $1:n_1$ (see col.4, ln.35-61).

Regarding claim 24, Koren teaches a method for coupling signals between a transceiver and a transmission line via a multi-port transformer (see figure 5, transformer 20), the transceiver including a driver circuit and a receive circuit (see figure 5, modem 11), transformer including a line port, a transmit port, and a receive port (see figure 5, line port 12, transmit port 26, receive port 28), the method comprising:

supplying a transmit signal from the driver circuit to the transmit port of the transformer (see col.2, ln.7-21).

It should be noticed that Koren fails to clearly teach a first path from the transmit port to the line port so as to couple the transmit signal to the transmission line, the first path having a coupling ratio of n_2 , where $n_2 > 1$, a receive signal from the transmission line to the line port of the transformer; and a second path from the line port to the receive port so as to couple the receive signal to the receive circuit, the second path having a coupling ratio of $1/n_1$, where $n_1 < n_2$.). However, Bisson teaches such features (see figure 4, dual transformer driver circuit 40, col.4, ln.50-60) for a purpose of reducing the power consumption in a transformer used in telecommunication system.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of a first winding part having a turns ratio of $1:n_2$, where $n_2 > 1$, and a second winding part having a turn ratio of $1:n_1$, where $n_1 < n_2$, as taught by Bisson, into view of Koren in order to select the different signal driven on to the telephone line.

Regarding claim 25, Bisson further teaches a transformer wherein the first path includes a first winding part of the transformer, the first winding part having a turns ratio of $1:n_2$, and wherein the second path includes a second winding part of the transformer, the second winding part having a turns ratio of $1:n_1$ (see col. 4, ln.35-61).

Regarding claim 26, Bisson further teaches a transformer wherein $n_1=1$ (see col.4, ln.50-60).

Regarding claim 27, Bisson further teaches a transformer where $n_2 < 2n_1$ (see col.4, ln.50-60).

Regarding claim 28, Bisson further teaches a transformer where $n_1 < (1/2)n_2$ (see col.4, ln.50-60).

3. Claims 6 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Koren (U.S. Patent No. 6,218,872) in view of Bisson et al. ("Bisson")(U.S. Patent No. 6,323,686) as applied to claim 5 above, and further in view of Oakley (U.S. Patent No. 6,633,642).

Regarding claim 6, Koren and Bisson, in combination, fails to clearly teach a line interface wherein the effective input impedance at the second port is Z/K^2 when the third port is open. However, Oakley teaches such features (see col.7, ln.50-67, col.8, ln.1-15) for a purpose of determining the total value impedance of the transformer.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of the line interface wherein the effective input impedance at the second port is Z_o/K^2 (where $Z=Z_o$, $n=K$) when the third port is open, as taught by Oakley, into view of Koren and Bisson in order to combined impedance of the ideal transformer.

Regarding claim 7, Oakley further teaches a line interface wherein an effective input impedance at the third port is Z_o/K^2 (where $Z=Z_o$, $m=K$) when the second port is open (see col.7, ln.18-62).

4. Claims 12-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Koren (U.S. Patent No. 6,218,872), Bisson et al. ("Bisson")(U.S. Patent No. 6,323,686) in view of Oakley (U.S. Patent No. 6,633,642) as applied to claims 5 and 17 above, and further in view of Gambuzza (U.S. Patent No. 6,226,331).

Regarding claim 12, Koren, Bisson, and Oakley, in combination, fails to clearly teach a line interface wherein the driver circuit and the receiver circuit have a single-ended circuit structure. However, Gambuzza teaches such features (see col.4, ln.55-65, col.5, ln.1-5) for a purpose of transmitting the data over communication network.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of a line interface wherein the driver circuit and the receiver circuit have a single-ended circuit structure, as taught by Gambuzza, into view of Koren, Bisson, and Oakley in order to produce the data signal in communication network.

Regarding claim 13, Gambuzza further teaches a line interface wherein the driver circuit and the receiver circuit have a differential circuit structure (see col.4, ln.55-65, col.5, ln.1-5).

Regarding claim 14, Gambuzza further teaches a line interface wherein the driver circuit and the receiver circuit include a resistive hybrid circuit (see col.5, ln.20-40).

Regarding claim 15, Gambuzza further teaches a line interface wherein the driver circuit and the receiver circuit includes a capacitive hybrid circuit (see col.5, ln.20-40).

Regarding claim 16, Gambuzza further teaches a line interface wherein the driver circuit and the receiver circuit includes a passive hybrid circuit (see col.5, ln.20-50).

Regarding claim 17, Gambuzza further teaches a line interface wherein the line interface is adapted to an ADSL system (see col.4, ln.34-55).

Regarding claim 18, Gambuzza further teaches a line interface wherein the line driver is integrated in a single IC chip of an analog front end (see col.3, ln.45-50).

Regarding claim 19, Gambuzza further teaches a line interface wherein the receive circuit is integrated in the IC chip of the analog front end (see col.3, ln.45-50).

Regarding claim 20, Gambuzza further teaches a line interface wherein the receive circuit includes a receive signal amplifier (see col.4, ln.55-65).

Regarding claim 21, Gambuzza further teaches a line interface wherein the line driver operates with a supply voltage of about 5 V (see col.4, ln.55-65).

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. In order to expedite the prosecution of this application, the applicants are also requested to consider the following references. Although Amrany et al. (U.S. Patent No. 6,538,510), Dreyer et al. (U.S. Patent No. 6,327,309), and Chen (U.S. Patent No. 5,515,433) are not applied into this Office Action, they are also called to Applicants attention. They may be used in future Office Action(s). These references are also concerned for supporting the bidirectional channels using common pins for transmit and receive paths and current sink only line driver.

Art Unit: 2643

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Tuan A. Pham** whose telephone number is (703) 305-4987 and E-mail address is: **tuan.pham13@USPTO.GOV**.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Curtis Kuntz, can be reached on (703) 305-4708 and

IF PAPER HAS BEEN MISSED FROM THIS OFFICIAL ACTION PACKAGE, PLEASE CALL Customer Service at (703) 306-0377 FOR THE SUBSTITUTIONS OR COPIES.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

Or faxed to:

(703) 872-9314

Hand-delivered responses should be brought to Crystal Park II, 2121


Crystal Drive, Arlington VA, Sixth Floor (Receptionist, tel. No. 703-305-4700).

Art Unit 2643

Date: November 5, 2003

Examiner

Tuan Pham



**BINH TIEU
PRIMARY EXAMINER**